Occultations observed at Beloit, Wisconsin, in 1884-85.

By J. Tatlock.

(Communicated by the Secretaries.)

From August 1884 to July 1885 I was in charge of a small Observatory at Beloit, Wisconsin, and during that time the observation of occultations of stars by the Moon was made a prominent feature of the Observatory work. Such observations of this nature as I succeeded in making are given in what follows. The list is comparatively small, but much of my time was occupied with other matters and duties, and the weather during the winter of 1884–85 and the spring of 1885 was particularly unfavourable for astronomical work in this locality.

The position of the Observatory is assumed to be—

Long.  $5^h$   $56^m$   $7^s$ ·30 West of Greenwich, Lat.  $+42^\circ$  30′ 9″.

These coordinates were determined by triangulation from points in the immediate vicinity of the Observatory which had been fixed by the State Survey of Wisconsin, whose positions depend upon the Coast Survey (telegraphic) longitude and latitude of Madison. This position is undoubtedly susceptible of correction, but I think it is abundantly accurate for the reduction of the observations contained in this paper.

The occultations were observed with an Equatorial having a Clark objective of 9.5 English inches in diameter. A power of 220 was usually employed, though some of the observations were made with a power of 100. A part of the occultations were observed by the eye-and-ear method, using a sidereal chronometer, but the majority were registered on the chronograph, with a Howard mean-time clock graduating the sheet.

I made a great effort to have the time determination as accurate as possible. The Transit was an instrument of antique construction, with an objective of 2.5 inches in diameter, and fitted with a diagonal eyepiece with a power of about 35. The instrument was rather unsteady in level and azimuth, and I consequently determined the inclination of the axis at frequent intervals, at least once for every star. The collimation was determined from the star observation, and as this demanded a reversal of the instrument, I always assumed, in the reduction, two values of the azimuth constant. The time determinations were made by the eye-and-ear method, using a sidereal chronometer, and the time was found on every night on which occulta-

tions were observed. I find that the probable error of a clock correction from a single star is  $\pm 0^{\circ}$ .095; and as four time stars were always observed, if possible, the probable error of an adopted clock correction is about ±0°.05. Considering the character of the instrument, this is as good a result as could be expected. The rates of the chronometer and clock were checked by frequent comparison.

I have given in the accompanying table both the Beloit and the Greenwich time of the observations, the longitudes mentioned above having been used in the conversion. The last column of the table denotes the method according to which the observation was made, E denoting the eye-and-ear, and C the chronographic. There is a little uncertainty concerning the identity of a few of the small stars, as the facilities for identification at my disposal were extremely limited.

I have also given the places of the Moon, both geocentric and apparent, computed for the Greenwich times of the occultations. The geocentric places were taken from the American Ephemeris and Nautical Almanac, and the apparent places were computed by the formulæ given in Chauvenet's Astronomy.

I have not given the places of the stars, because I have not the necessary catalogues at hand.

No.	Date.	Star.	Phase.	Limb.	Beloit M. T.	Greenwich M. T.					
I	Aug. 31	ho' Sagittarii	Immersion	Dark	10 44 7.9	h m s 16 40 15.2 E					
2	Sept. 10	D. M. + 16° 591	,,	$\operatorname{Bright}$	12 45 48.3	18 41 55.6 E					
3	IO	D. M. + $16^{\circ}$ 602	,,	,,	13 45 13.0	19 41 20.3 E					
4	ΙΙ	115 Tauri	,,	,,	13 55 42.4	15 3 0.5 E					
5	ΙΙ	115 Tauri	Emersion	Dark	19 51 49.7	29 59 7.5 E					
6	Sept. 24	$oldsymbol{\chi}$ Ophiuchi	Immersion	,,	7 39 57.9	13 36 5.2 E					
7	Oct. 10	λ Geminorum	,,	Bright	17 14 46 0	23 10 53·3 E					
8	Nov. 8	A <sup>2</sup> Cancri	,,	,,	12 34 39.4	18 30 46.7 E					
9	8	D. M. + 13° 1995	,,	,,	12 36 58.4	18 33 5.7 E					
10	8	A <sup>2</sup> Cancri	Emersion	Dark	13 40 8.2	19 36 15.5 E					
11	Nov. 8	α Cancri	Immersion	$\operatorname{Bright}$	18 21 38.7	24 17 46·0 E					
12	Jan. 25	63 Tauri	99	Dark	13 14 22.2	14 4 56·5 C					
13	25	63 Tauri	Emersion	Bright	19 10 29.5	20 I 3.8 C					
14	Jan. 28	λ Geminorum	Immersion	Dark	6 43 6·1	12 39 13.4 C					
15	Feb. 20	LL. 5725	,,	,,	11 15 4.4	17 11 11.7 C					
16	22	B. A. C. 1526	,,	,,	9 2 0.2	14 58 7.5 C					
17	Feb. 22	B. A. C. 1526	Emersion	$\operatorname{Bright}$	9 49 32.9	15 45 40·2 C					
18	Mar. 19	38 Arietis	"	5;	8 21 35.4	14 17 42.7 C					
19	19	D. M. + 11° 385	Immersion	Dark	8 23 33.3	14 19 40·6 C					

No.	Date.	Star.	Phase.	Limb.	Beloit M. T.	Greenwich M. T.					
20	<sup>188</sup> 5. <b>Mar. 19</b>	D. M. + 11° 387	Immersion	Dark	h m s 8 32 27.6	h m s 14 28 34.9 (					
21	19	D. M. + 11° 386	,,		8 33 55.5	14 30 2.8 (					
22	21	D. M. + 16° 641	,,	,	8 41 15.2	14 37 22.5 I					
23	22	D. M. + 17° 979	,,	,,	8 16 14 1	14 12 21.4 (					
24	22	Anon.	,	,,	8 37 40.9	14 33 48·2 I					
25	22	130 Tauri	,,	,,	10 59 29.9	16 55 37.2 (					
26	22	D. M. + 17° 1006	,,		11 5 39.2	17 1 46.5 (					
27	22	D. M. + 17° 1011	,,	,,	11 16 39.8	17 12 47 1 (					
28	22	130 Tauri	Emersion	Bright	11 48 18.5	17 44 25.8 (					
29	23	D. M. + 17° 1336	Immersion	Dark	7 12 24.4	13 8 31.7 (					
30	23	D. M. + 17° 1341	,,	,,	7 14 57.4	13 11 4.7 (					
31	23	D. M. + 17° 1344	,,	,,	7 20 14.8	13 16 22 1 (					
32	23	Anon.	27	,,	7 21 56.0	13 18 3.3 (					
33	Mar. 24	D. M. + 16° 1546	,,	,,	9 26 28.2	15 22 35.5 (					
34	Apr. 20	D. M. + 16° 1493	,,	,,	10 и 38-4	15 57 45.7 (					
35	May 21	d Leonis	,,	,,	10 57 6.7	16 53 14.0 (					
36	June 16	D. M. + 9° 2338	,,	,,	8 50 44 2	14 46 51.5 (					
37	16	D. M. + 9° 2341	,,,	,,	9 27 6.9	15 23 14.2 (					
38	16	Anon.	,,	,,	9 29 36.9	15 25 44.2 (					
39	June 18	D. M. + 1° 2585	••	"	9 16 25.1	15 12 32.4 (					

Downloaded from http://mnras.oxfordjournals.org/ at University of Pennsylvania Library on July 16, 2015

	نکن	2	ō.	יַע	7	.8	6					~ <b>,</b> ,				0	7	7	∞		) <sup>2</sup> 1	
ഗ	905″85			59.446				964.11			968.48		980.05	_					82.296	961.88	18.196	
	- i'7 5o 3i''76	42.67	32.86	+17 46 36.36	58.64	8.89	99.55	10.58	58.53	18.44	37.57	16.43	+16 23 54.80	3.36	3.78	12.45	80.61	4.55	12.21	7.95	09.41	
60	7 50	5 34 ,	5 41	7 46	2 50	7 59	5 43	9	59	54	2 21	5 22 6	5 23 5	5 57 2	55	101	7 10 4	46	46	1 47	1 47 1	
															+ 12	+ I 7	<u> </u>	+	+ 11			
49	-45 42.97	$-32  ext{ 19.43}$	41.98	-31 0.83	2.12	55.38	32.65	27.80	22.39	4.56	19.54	25.85	-39 4.42	90.01 28-	-39 7.36	36.06	15.61	31.45	.37 35.79	.37 55.60	37 58.74	
ಶ	-45	-32	-29	-31	- 28	<b>-41</b>	-25	-35	-35	-33	-29	-36	- 39	-32	-39	-27	- 29	-37	-37	-37	-37	
	2.01	4.88	2.17	16.13	55.23	56.44	94.9	11.37	16.EH	8.71	69.41	68.61	64 28 18.49	8.15	0.17	69.08	8.28	29.99	2.30	57 56.11	66.15	
a,	288 37 5'01	4 17	4 47	50 2	23	1 56 2	7 35	810	, 6I c	51	\$ 46 4	57	1 28 1	7 4I I	49	29 3	5 5 I 5	51 5	53	57 5	58	
																		35	33	39	39	
γα	-23 17'21	32.44	+33 56.33	+39 34.42	21.16	5.00	41.52	+42 33.18	25.21	17.23	58.85	33.57	-46 11.95	6.65	13.87	62.9	59.35	3.42	86.5		16.38	
	-23	+40	+33	+ 39	+31	-34	9 +	+42	+42	+37	∞ 	-45	-46	+ 40	<b></b> 44	-27	-33	- 44	- 44	144	-44	
ďΩ	00.006	<b>29.696</b>	65.696	20.896	26.49	885.88	66.296	00.856	26.256	957.42	954.94	82.226	60.826	00.866	955.30	68.53	968.42	09.856	19.856	958.65	958.65	
ŧ	5 6"40	1.12 (	59 21.03	59 15.08	14.7	1 13.5	58 56.56	38.5	58 38.12	36.0	3 26.92	71.15	59 52.30	46.7	3 28.5	1.91 (	2.91 (	58 40.64	58 40.68	58 40·8I	58 40.83	
	9 5,5										. 58											
**	48′79	5.10	14.8	+18 17 37 19	0.4	13.5	28.3	38.38	50.0	23.00	57.1	12.58	59.5	33.4	71.11	48.5	8.20	35.67	ູ		15.34	
~	-17 4	17 7	11 11	18 17	18 19	17 17	6 41	13 35	13 35	+13 27	12 50	+ 16 59	17 2	17 29	13 34	+17 37	+17 40	+12 23	12 23	+12 25	12 25	
ಕ	, 22.2	932.4	3 5.8	0 47.49	2 34.0	0 28.5	8 24.94	5 58.1	2.81	3 51.4	5 43.5	2 53.4	4 30.4	5.11 I	3 14.6	5.98 9	9.25 5	0.0	7 8.2	b.L1 z	3 8:3	
	289 0 22:22	63 3	64 I	01 64	79 5	245 3	107 2	129 3	129 3	130 I	132 5.	64 42 53.46	65 1,	101	45 3.	72 5	73 2	40 3(	40 3	40 4	40 4.	
ţe.	34. . 31	Sept. 10	01	II	II	. 24	01.	∞.	∞	∞	8.	1885. Jan. 25	25	. 28	. 20	22	. 22	61 .	19	61	61	
	1884. Aug. 31	Sept				Sept	Oct	Nov			Nov	$_{ m Jan}^{ m 188}$		Jan	Fob		Feb	$\mathbf{Mar}$				
Mo.	H	63	3	4	Ŋ	9	7	$\infty$	0	OI	11	12	13	14	15	91	17	8	61	20	21	

A A

1886MNRAS..46..318T

322						M	[r. !	Tat	loci	k, (	Occ	ult	atio	ns.				•	
δ	2 ; i	10.576	900 14	9/941	97524	97.6.00	9/2 30	080.16	080.13	90.790	905 00	983.04	900.49	9/005	95173	00.6/6	977.49	977.34	953.39
à	, , , , + to , , , , , , , , , , , , , , , , , ,	+17 40 2:11		11, 39 30 70	+17 22 54.01	ς, ,	+ 17 21 52:02	+17 21 54.00	+17 21 48.01	417 21 24:08	11, 31, 34,00	+17 31 29.52	0262 1 01+	4 4 10 20 44	4 4 19 24 00	T 9 5/ 45/1	+ 9 50 54.86	+ 9 50 27.13	+ I 42 52.34
<b>«</b>	-31 50.51	-27 55:20	-28 45.45	72.77	136 5.88	_	-38.27.73	-25 3.67	125 5.05	70.01 32 -	() OF C	-27 48:30	-22 49 20	27 10.03		66 71	72.01		-38 9.29
a'	88 36 14·16	20	30	) r	50	, r	85 25 17.72	98 4 6.53	98 5 12.00	98 7 28.09	· «	7 0	110 42 56.74	163 24 43.05	- 0	, 5	7 6	3	172 13 47.86
Ρα	- 50 28.98	-30 22.53	-33 23.29	-45 26.26	-45 36.96	-45 51·23	-45 59.30	- 9 20.07	- 9 49.32	-10 49.76	-11 8.07	-23 4.37	-42 47.06	-37 25.37	-42 52.45			144 66 51	-3447.45
ω	966.05	04.496	24.196	28.296	967.82	18.496	967.83	00.896	00.896	00.896	00.896	66.996	\$9.696	944.59	974.00	072.68	99:040	3/2 00	946.06
Þ	59 %.04	59 13.83	59 13.89				59 14.36	81.51 65	59 15.17										57 54.65
60	+17 14 24.53	+ 18 7 57.56	+ 18 8 16.21	+18 9 56.55	+ 18 9 59.89	+18 10 5.87	+18 10 21.65	+17 56 58.66	+17 56 53.96	+17 56 44.15	+17 56 41.02	+16 29 15.46	+16 54 38.60	+ 4 56 34.62	+ 10 34 58.70	+10 29 16.87	+10 28 53.33	:	21
ಕ	<b>89 26 43"14</b>	83 59 43.78	84 13 1.72	85 40 59.92	85 44 48.98	85 51 38.85	86 11 17.02	98 13 26.60	98 15 1.32	98 18 17.85	98 19 20.54	114 20 41.54	111 25 43.80	164 2 9.32	145 45 17.32	146 6 36.86	146 8 4.72	10.20 80 041	1/2 40 35 31
Date.	Mar. 21	22	22	22	22	22	22	23	23	23	23	Mar. 24	Apr. 20	May 21	June 16	91	91	81	<b>)</b>
No.	22	23	24	5.	26	27	28	29	30	31	32	33	34	35	36	37	38	30	ò

Hoosac Falls, N.Y., U.S.A.: 1885, January 14.

Erratum in Annual Peport, 1886.

Page 207, line 19 from bottom, for deviation read direction.

<sup>\*\*\*</sup> The Council are indebted to the Editor of Nature for permission to insert the obituary notice of Sir F. J. O. Evans, published in the Annual Report.